

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S278	526	703/2.ccls. and @pd>="20090428"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/01/27 17:56
S280	150	tire and noise and pitch and @pd>="20090428"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/01/27 18:41

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in

Google

tire noise amplitude phase modulation

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 5,990 for **tire noise amplitude phase modulation**. (0.33 seconds)

(WO/2004/041555) METHOD FOR DESIGNING TIRE NOISE PITCH SEQUENCE

One cause of undesirable noise is **tire noise** attributed to the a large number of **modulation** characteristics including different **amplitudes** and **phase** angles. ... The reason the actual **modulation amplitudes** and the design **modulation** ...
www.wipo.int/pctdb/en/wo.jsp?WO=2004041555&IA... - Cached

Implementation of high-resolution diffractive optical elements on ...

by C Stoltz - 2001 - Cited by 16 - Related articles - All 10 versions
 efficiency and the signal-to-noise ratio in the reconstruction. Furthermore, when investigating the ... pled **modulation** between **amplitude** and **phase**, but a tire Jones matrix, i.e., the signs of f, g, h, and j, we ...
www.opticsinfobase.org/oe/viewmedia.cfm?id=66861&seq=0

A wireless pressure-measurement system using a SAW hybrid sensor ...
 both a high signal-to-noise ratio and a high **phase-modulation** and **amplitude** j_S of the reflected pulse as functions of the tire pressure. ...
ieeexplore.ieee.org/iel5/22/19458/00899037.pdf

Method of analyzing tire pitch sequence based on lug stiffness ...

The impact causes **tire noise** of which the **amplitude** is varied by the 4A to create the **modulation** information shown in FIG. Inventor: Hubbell, et al.5746848, Profiled vehicle tire and method for dimensioning the optimum **phase** ...
www.patentstorm.us/patents/7006930/description.html - Similar

Electrical Audio Signal Processing Systems And Devices - Noise Or ...

... a specific **phase modulation** and a specific **amplitude** adjustment on at The voice enhancement system includes a passing **tire hiss noise** detector and ...
www.freshpatents.com/x1381094100psbc.php - Cached - Similar

PDF] MiraScan V6.1(5000U) picture

File Format: PDF/Adobe Acrobat - View as HTML
 or **phase modulation**- and the resulting change in spectrum is different ... Random noise on sine. The noise can cause the origi eased in **amplitude**, delayed iligh flu receiver must attempt to function. luis . despite **tire noise**. The succe ...
www.most.gov.mm/techni/media/EcE02012_QA_3.pdf

Spatio-temporal structures from four-wave mixing and phase ...

by M Brambilla - 1994 - Cited by 1 - Related articles
 Even if **tire** cubic approximation restricts the accessible domain of parameter space, (22) where the **amplitude** Y is taken real and positive with an appropriate ... cross and self **phase modulation** for three longitudinal cavity modes. Instabilities and quantum noise reduct on in nonlinear optical mixing, ...
linkinghub.elsevier.com/retrieve/pii/0960077994900825

Library of reference signals in the audio frequency range

by AI Mekhannikov - 1999

Tire proposed selection of papers describes ... white or pink **noise** of a known level or

spectral density; additive mixture of pure sound and **noise** ... Nonlinear distortion factor.

Phase shift. Amplitude modulation factor. $O(X)$ 1-2 V ...

www.springerlink.com/index/L22228440203889.pdf - Similar

Interference in design: SPIE Newsroom: SPIE.org

Close study revealed that velocity **amplitude** and **phase** were insufficiently large to permit identification of panels that actually contributed to a **noise** ...

spie.org/x23424.xml?highlight=x2410&ArticleID=x23424 - Cached

[PDF] Jitter Analysis of High Speed Digital Systems

File Format: PDF/Adobe Acrobat - Quick View

by CM Miller - Cited by 6 - Related articles

tion is essentially an integrated **phase noise** measurement and for SONET/SDH equipment is specified not to tal **amplitude modulation (AM)** may have on the **phase** mod **tire** bandwidth, which affords a comfortable amount of mea ...

www.hpl.hp.com/hpjournal/95feb/feb95a8.pdf - Similar

Searches related to **tire noise amplitude phase modulation**

[phase modulation spectrum](#)

[phase shift modulation](#)

1 2 3 4 5 6 7 8 9 10 **Next**

tire noise amplitude phase modulation

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)